

PORTABLE BENCH for CHASSIS



model: **BTK309-ST**

The bench is composed by a "WORK TABLE" and the related "HOLDER STRUCTURE" composed by legs to be assembled.

The result is a more stable and transportable bench.

The bench is completed with the AXLE HOLDERS, two LEVERS and the FCM HEIGHT GAUGE.

The TOOLS KIT for "C" holder are supplied separately (on request).



FRONT DETAIL



REAR DETAIL



adjustable foot



HOLDER STRUCTURE DETAILS



*Work Table: Chromatic treatment included *** Table Holder: Chromatic treatment on request*

All right reserved. Technical characteristics and dimensions can be modified without notice



EFFECIEMME SAS di Cereda Fausto & C. Via XXV Aprile, 18/20 - 20884 SULBIATE (MB) ITALIA
tel.: +39 039 6902705 - mob.: +39 348 6649693 - e-mail: effeciemme@effeciemme.com - sito web: www.effeciemme.com




ITEMS ON REQUEST / ADVISED:

LASER TOOLS KIT for "C" HOLDERS

CODE	q.ty	Ref.	DESCRIPTION	NOTE
KPI4LC (**)	2 x	KLA-800	LASER SOURCE	(*) sizes: must be specified/confirmed at the order. see page 5
	2 x	HUB-570	HUB for H = 57 mm (*)	
	2 x	PIN-220	PINS for Ø = 22 mm (*)	
	1 x	BCT-CML32	Solid Contrast	



Laser Kit Convergence: code **LKC-125** (**)




(**) Not included in the STANDARD EQUIPMENT. TO REQUEST SEPARATELY

ITEMS ON REQUEST

MECHANICAL TOOLS KIT for "C" HOLDERS					
CODE	CODE	q.ty	Ref.	DESCRIPTION	NOTE
TKC16 (**)	TKC125	2 x	HAB53	Hab (H=53 mm*)	(*) sizes: must be specified/confirmed at the order. <i>see page 5</i>
		2 x	BCT-PIN22	Pin (Ø22 mm*)	
	1 x	BCT-CML32		Contrast Solid	

MECHANICAL TOOLS KIT for "C" HOLDERS – MINI					
CODE	CODE	q.ty	Ref.	DESCRIPTION	NOTE
TKC08 (**)	TKC60	2 x	HAB45	Hab (H=45 mm*)	(*) sizes: must be specified/confirmed at the order. <i>see page 5</i>
		2 x	BCT-PIN12	Pin (Ø12 mm*)	
	1 x	BCT-CML25		Contrast Solid	

BCT-SP500	1 x		Couple of Reference Pins	
------------------	-----	--	--------------------------	--



ITEMS ON REQUEST

MECHANICAL TOOLS KIT for "C" HOLDERS

CODE	CODE	q.ty	Ref.	DESCRIPTION	NOTE
TKC27 (**)	TKC10	2 x	HAB53	Hab (H=53 mm *)	(*) sizes must be specified/confirmed at the order. see page 5
		2 x	BCT-CAM22	Pin (Ø22mm *)+ Reference for Camber	
	BCT-CML32	1 x		Contrast Solid	

(**) Not included in the STANDARD EQUIPMENT. TO REQUEST SEPARATELY

memo: Hab H = 55 mm → ref. **HAB55**


Pin Ø = 23 mm + Reference for Camber → ref. **BCT-CAM23**



HAXLE HOLDERS				
q.ty	CODE	CODE	DESCRIPTION	NOTE
2 x	AXL.HOL50 (§)		Axle Holder for Ø 50 mm (§)	(§) Included with Standard Equipment (*) Sizes must be specified/confirmed at the order.
		AXL40	Adapter for AXLE Ø 40 mm (*)	
		AXL30	Adapter for AXLE Ø 30 mm (*)	
		AXL25	Adapter for AXLE Ø 25 mm (*)	
2 x	AXL.HOL40		Axle Holder for Ø 40 mm (*)	
2 x	AXL.HOL30		Axle Holder for Ø 30 mm (*)	
2 x	AXL.HOL25		Axle Holder for Ø 25 mm (*)	




Assembled Axle Holder and Adapter



AXL.HOL50

AXL30

AXL.HOL50



AXL.HOL30



WHEN YOU ARE ALONE TO WORK ...

[R] code: **BCT-LS** (**)
Resistance Lever Support



SUPPORTS “C”: DIMENSIONS for CONSTRUCTION of the HUB and PINS


DATE:

CUSTOMER:

CHASSIS MODEL:

Complete the table in the drawing below with measure in millimeters
Return to Effeciemme by e-mail to the following address: effeciemme@effeciemme.com

The Effeciemme undertakes to keep the data acquired in accordance with the laws in force



SAMPLE		
CHASSIS type:	H mm	Ø mm
→ HAASE / TONY KART / BIREL / CRG	53	22,0
→ ITALKART	53	11,8
→ CHASSIS MINI for 60cc	45	12
→ IPK	53	18
→ NIAGARA FALLS	55	23
→ YOURS		